

FACSIMILE**page 2 of 5**

U.S. Application No. 09/656,039

PROPOSED CLAIM AMENDMENTS

17. A portable image transfer system comprising:

a digital still camera, at a remote station, which captures one or more images in digital form and stores the images in a camera memory;

a cellular telephone transmitter for communication with a receiving station, the receiving station having an image processor;

a central processing unit (CPU); and

a return link for receiving commands from the receiving station to the CPU to obtain further images as needed by the image processor,

the CPU being coupled to the camera memory and the cellular telephone transmitter, the CPU being configured to control the camera memory to produce output data representing the images formatted as one or more electronic mail messages, the CPU further being configured to control the cellular telephone transmitter to transmit the output data from the camera memory to the receiving station.

21. A portable image transfer system comprising:

a digital still camera, at a remote station, which captures one or more images in digital form and stores the images in a camera memory;

a cellular telephone transmitter for communication with a receiving station, the receiving station having an image processor;

circuitry to produce information relating to the location of the portable image transfer system;

a central processing unit (CPU); and

a return link for receiving commands from the receiving station to the CPU to obtain further images as needed by the image processor,

the CPU being coupled to the camera memory, to the circuitry, and to the cellular telephone transmitter, the CPU being configured to control the camera memory to produce output data representing a combination of the images and the location information, the CPU further being configured to control the cellular telephone transmitter to transmit the output data from the camera memory to the receiving station.

FACSIMILE**page 3 of 5****U.S. Application No. 09/656,039**

25. A portable image transfer apparatus comprising:

a cellular telephone transmitter component;

an image capture component for producing digital images;

a memory operatively coupled to the image capture interface to receive and store one or more digital images;

a controller coupled to the memory and to the cellular telephone transmitter component, the controller configured to produce output data representing the images, the controller further configured to control the cellular telephone transmitter component to communicate with a receiving station to transmit the output data from the memory to the receiving station, the receiving station having image processing means; and

a return link for receiving commands from the receiving station,

wherein the output data is transmitted to the receiving station when the receiving station transmits a first command to the portable image transfer apparatus to obtain further images needed by the image processing means.

36. A telecommunication system comprising:

a communication component for receiving image data originating from a cellular telephone device;

an image data store for storing the image data;

a return link for sending commands to the cellular telephone device; and

a controller coupled to the communication component and to the image data store, the controller configured to process the image data and to communicate the image data over the Internet to a receiving station, the receiving station having image processing means,

wherein the image data is transmitted to the receiving station when the receiving station transmits a first command to the cellular telephone device to obtain further images needed by the image processing means.

FACSIMILE**page 4 of 5**

U.S. Application No. 09/656,039

47. A portable image transfer system comprising:

a digital still camera, at a remote station, which captures one or more images in digital form and stores the images in a camera memory;

a cellular telephone transmitter for communication with a receiving station, the receiving station having means for image processing;

a central processing unit (CPU); and

a link for receiving data from the receiving station to the CPU,

the CPU being coupled to the camera memory and the cellular telephone transmitter, the CPU being configured to control the camera memory to produce output data representing the images formatted as one or more electronic mail messages, the CPU further being configured to control the cellular telephone transmitter to transmit the output data from the camera memory to the receiving station,

wherein the output data is transmitted to the receiving station when the receiving station transmits a first command to the portable image transfer system to obtain further images needed by the means for image processing.

52. A portable image transfer system comprising:

a digital still camera, at a remote station, which captures one or more images in digital form and stores the images in a camera memory;

a cellular telephone transmitter for communication with a receiving station, the receiving station having means for image processing;

circuitry to produce information relating to the location of the portable image transfer system;

a central processing unit (CPU); and

a link for receiving data from the receiving station to the CPU,

the CPU being coupled to the camera memory, to the circuitry, and to the cellular telephone transmitter, the CPU being configured to control the camera memory to produce output data representing a combination of the images and the location information, the CPU further being configured to control the cellular telephone transmitter to transmit the output data from the camera memory to the receiving station,

wherein the output data is transmitted to the receiving station when the receiving station transmits a first command to the portable image transfer apparatus to obtain further images needed by the means for image processing.

FACSIMILE**page 5 of 5**

U.S. Application No. 09/656,039

57. A portable image transfer apparatus comprising:

a cellular telephone transmitter component;

an image capture component for producing digital images;

a memory operatively coupled to the image capture interface to receive and store one or more digital images;

a controller coupled to the memory and to the cellular telephone transmitter, the controller configured to produce output data representing the images, the controller further configured to control the cellular telephone transmitter to communicate with a receiving station to transmit the output data from the camera memory to the receiving station, the receiving station having an image processor; and

a link for receiving data from the receiving station,

wherein the output data is transmitted to the receiving station when the receiving station transmits a first command to the portable image transfer apparatus to obtain further images as needed by the image processor.